



Glu
SAN LUIS OBISPO COUNTY

DEPARTMENT OF PLANNING AND BUILDING

THIS IS A NEW PROJECT REFERRAL

DATE: 3/2/2015

FR TO:

PW

TO FROM:

Stephanie Fuhs (805-781-5721 or sfuhs@co.slo.ca.us) COUNTY OF SAN LUIS OBISPO
South County Team / Development Review DEPARTMENT OF PUBLIC WORKS

RECEIVED
MAR - 4 2015

PROJECT DESCRIPTION: DRC2014-00097 VAN PETTEN – Proposed minor use permit to demo a single family residence of 1,316 sf and construct a new single family residence of 4,372 sf; modify bluff setback. Site location is 916 Mesa View Dr, Arroyo Grande. APN: 075-281-014

Return this letter with your comments attached no later than: 14 days from receipt of this referral. CACs please respond within 60 days. Thank you.

PART 1 - IS THE ATTACHED INFORMATION ADEQUATE TO COMPLETE YOUR REVIEW?

☒ YES
☒ NO

(Please go on to PART II.)

(Call me ASAP to discuss what else you need. We have only 10 days in which we must obtain comments from outside agencies.)

PART II - ARE THERE SIGNIFICANT CONCERNS, PROBLEMS OR IMPACTS IN YOUR AREA OF REVIEW?

☒ YES
☐ NO

(Please describe impacts, along with recommended mitigation measures to reduce the impacts to less-than-significant levels, and attach to this letter)

(Please go on to PART III)

PART III - INDICATE YOUR RECOMMENDATION FOR FINAL ACTION.

Please attach any conditions of approval you recommend to be incorporated into the project's approval, or state reasons for recommending denial.

IF YOU HAVE "NO COMMENT," PLEASE SO INDICATE, OR CALL.

see attached INFO HAS REQUESTED

3.8.15
Date

Antonia
Name

5271
Phone

COUNTY GOVERNMENT CENTER • SAN LUIS OBISPO • CALIFORNIA 93408 • (805)781-5600

EMAIL: planning@co.slo.ca.us • FAX: (805) 781-1242 • WEBSITE: <http://www.sloplanning.org>



SAN LUIS OBISPO COUNTY DEPARTMENT OF PUBLIC WORKS

Wade Horton, Director

County Government Center, Room 207 • San Luis Obispo CA 93408 • (805) 781-5252
Fax (805) 781-1229 email address: pwd@co.slo.ca.us

MEMORANDUM

Date: March 8, 2015
To: Stephanie Fuhs, Project Planner
From: Tim Tomlinson, Development Services
Subject: **Public Works Comments on DRC2014-00097, Van Petten MUP, Mesa View Dr., Palo Mesa, APN 075-281-014**

Thank you for the opportunity to provide information on the proposed subject project. It has been reviewed by several divisions of Public Works, and this represents our consolidated response.

PUBLIC WORKS REQUESTS THAT AN INFORMATION HOLD BE PLACED ON THIS PROJECT UNTIL THE APPLICANT PROVIDES THE FOLLOWING DOCUMENTS FOR PUBLIC WORKS REVIEW AND COMMENT:

1. In accordance with the Land Use Ordinance, as the project is located in a Stormwater Management (MS4) Area, it is considered a regulated project and required to submit a Stormwater Control Plan Application and Coversheet.
2. The proposed project is within the South County Area 2 Road Fee Area. Payment of Road Improvement Fees is required prior to building permit issuance.

Public Works Comments:

- A. The proposed project is within a drainage review area. Drainage plan is required and it will be reviewed at the time of Building Permit submittal by Public Works. All drainage must be retained on-site and the design of the basin shall be approved by the Department of Public Works.
- B. The project meets the applicability criteria for Stormwater Management. Therefore, the project is required to submit a Stormwater Control Plan Application and Coversheet. The Storm Water Control Plan application and template can be found at:
<http://www.slocounty.ca.gov/Assets/PL/Forms+and+Information+Library/Construction+Permit+Documents/Grading+and+Drainage+Documents/SWCP+Application+Pkg.pdf>

The Post Construction Requirement (PCR) Handbook can be found at:
http://www.slocounty.ca.gov/Assets/PL/Grading+and+Stormwater+Mgmt/new_stormwater/PCR+Handbook+1.1.pdf

Recommended Project Conditions of Approval:

Drainage

1. **At the time of application for construction permits**, the applicant shall submit complete drainage plans for review and approval in accordance with Section 22.52.110 (Drainage) of the Land Use Ordinance. All drainage must be retained on-site and the design of the basin shall be approved by the Department of Public Works.

Stormwater Pollution Prevention

2. **At the time of application for construction permits**, the applicant shall demonstrate whether the project is subject to the LUO Section for Stormwater Management. Applicable projects shall submit a Stormwater Control Plan (SWCP) prepared by an appropriately licensed professional to the County for review and approval. The SWCP shall incorporate appropriate BMP's, shall demonstrate compliance with Stormwater Quality Standards and shall include a preliminary drainage plan, a preliminary erosion and sedimentation plan. The applicant shall submit complete drainage calculations for review and approval.
3. **At the time of application for construction permits**, if necessary, the applicant shall submit a draft "Private Stormwater Conveyance Management and Maintenance System" exhibit for review and approval by the County.
4. **Prior to issuance of construction permits**, if necessary, the applicant shall record with the County Clerk the "Private Stormwater Conveyance Management and Maintenance System" to document on-going and permanent storm drainage control, management, treatment, disposal and reporting.

Road Improvement Fees

5. **On-going condition of approval (valid for the life of the project)**, and in accordance with Title 13.01 of the County Code the applicant shall be responsible for paying to the Department of Public Works the South County Area 2 Road Improvement Fee for each future building permit in the amount prevailing at the time of payment.



Re: DRC2014-00097 VAN PETTEN, South County E-Referral, MUP, Arroyo Grande

Michael Stoker to: Stephanie Fuhs
Cc: Cheryl Journey, Martin Mofield, Charles Moloney

03/04/2015 10:46 AM

From: Michael Stoker/Planning/COSLO
To: Stephanie Fuhs/Planning/COSLO@Wings
Cc: Cheryl Journey/Planning/COSLO@Wings, Martin Mofield/Planning/COSLO@Wings, Charles Moloney/Planning/COSLO@Wings

Stephanie,

Please find the building departments comments for DRC2014-00097 attached below. Please let me know if you have any questions.

In regards to this preliminary review, a building permit is required. The drawings specify the work to be completed consists of the demolition of an existing single family residence of 1,316 sq. ft and the construction of a new single family residence of 4,372 sq. ft, and modifying the bluff setback. The project shall comply with current codes adopted by the County of San Luis Obispo (2013 California Building Standards Codes and Title 19 of the SLO County Codes).

While a thorough plan review will be conducted at time of building permit application, the following items are noted to assist design review;

- 1) Construction shall comply with the 2013 California Residential Code.
- 2) The design of the openings, projections, wall rating based on fire separation distance will need to be shown on the plans to comply with CRC Section 302, including Table 302.1(2) for buildings with sprinklers.
- 3) Provide plans which clearly show the structural design for the project to verify compliance with the prescriptive requirements of the 2013 California Residential Code or any structural element(s) not complying with the prescriptive requirements will need to be prepared by a California Licensed Design Professional (Architect or Engineer) justifying the structural design. All supporting documentation (structural calculations, truss calculations, product information, etc) will need to be provided as well.
- 4) A grading permit may need to be provided and grading plans submitted for review.
- 5) Provide an electrical plan to show the location of all electric panels, sub-panels, receptacles, light switches, lights, smoke detectors and Co alarms, etc.
- 6) Provide notes and information on the plans for the plumbing fixtures requirements, the design of the waste lines, vents, and water lines as they will need to comply with the 2013 CPC.
- 7) Energy calculation will need to be submitted to verify compliance with the 2013 California Energy Code.
- 8) The plans will need show compliance with the 2013 California Green Building Code and the County of San Luis Obispo's Green Building Ordinance.

- 9) Fire sprinklers will be required under a separate permit and plans showing the design provided for review.

Thanks

Michael Stoker
Building Division Supervisor, CASp
805.781.1543





Reduced setback

Bullard, Clint@CALFIRE to: sfuhs@co.slo.ca.us
Cc: "greg@gregwynn.com"

11/20/2015 07:45 AM

Good morning,

DRC2014-00097 (Van Petten) located at 916 Mesa View Drive near Arroyo Grande, CA.

Regarding the request to allow a reduced setback for the proposed covered porch –

CAL FIRE/County Fire supports the request to reduce the required setback of the covered porch. The setback shall be no less than 22-feet to the nearest property line. This department finds no significant concerns relative to fire/life safety regarding the reduction of setback.

Please feel free to contact me should you have additional questions and/or concerns regarding this matter.

Thank you,

Clinton I. Bullard
Fire Inspector
CAL FIRE/
SAN LUIS OBISPO COUNTY FIRE
(805)543-4244 ext. 3425



SAN LUIS OBISPO COUNTY

DEPARTMENT OF PLANNING AND BUILDING

RECEIVED
MAR 13 2015

THIS IS A NEW PROJECT REFERRAL

PLANNING & BUILDING

DATE: 3/2/2015

TO:

Cal Fire

RECEIVED MAR 4 - 2015

FROM: Stephanie Fuhs (805-781-5721 or sfuhs@co.slo.ca.us)
South County Team / Development Review

PROJECT DESCRIPTION: DRC2014-00097 VAN PETTEN -- Proposed minor use permit to demo a single family residence of 1,316 sf and construct a new single family residence of 4,372 sf; modify bluff setback. Site location is 916 Mesa View Dr, Arroyo Grande. APN: 075-281-014

Return this letter with your comments attached no later than: 14 days from receipt of this referral.
CACs please respond within 60 days. Thank you.

PART 1 - IS THE ATTACHED INFORMATION ADEQUATE TO COMPLETE YOUR REVIEW?

☒ YES
☐ NO

(Please go on to PART II.)

(Call me ASAP to discuss what else you need. We have only 10 days in which we must obtain comments from outside agencies.)

PART II - ARE THERE SIGNIFICANT CONCERNS, PROBLEMS OR IMPACTS IN YOUR AREA OF REVIEW?

☒ YES
☐ NO

(Please describe impacts, along with recommended mitigation measures to reduce the impacts to less-than-significant levels, and attach to this letter)
(Please go on to PART III)

PART III - INDICATE YOUR RECOMMENDATION FOR FINAL ACTION.

Please attach any conditions of approval you recommend to be incorporated into the project's approval, or state reasons for recommending denial.

IF YOU HAVE "NO COMMENT," PLEASE SO INDICATE, OR CALL.

FIRE SAFETY PLAN ATTACHED

Date

3/12/15

Name

TRAVIS CRAIG

Phone

805.593.3427

COUNTY GOVERNMENT CENTER • SAN LUIS OBISPO • CALIFORNIA 93408 • (805)781-5600

EMAIL: planning@co.slo.ca.us • FAX: (805) 781-1242 • WEBSITE: <http://www.sloplanning.org>



CAL FIRE – SAN LUIS OBISPO FIRE SAFETY PLAN



Date: **March 12, 2015**

Project Number: DRC2014-00097

Project City: Arroyo Grande

Owner Name: Vance Van Petten

City, State, Zip: Los Angeles, Ca. 90019

Agent Name: Greg Wynn

City, State, Zip: San Luis Obispo, Ca. 93406

Project Description: Demo 1316 SF SFD, Construct a new 4,372 SF SFD.

Project Location: 916 Mesa View Dr.

Cross Street: Halcyon Road

Owner Address: 1890 S. Cochran Ave. #20

Owner Phone(s): 310-259-8222

Agent Address: P.O Box 14345

Agent Phone(s): 805-801-3414

- The following **checked** items are required to be completed prior to final inspection of this project.
- Fire department final inspection can be scheduled by calling **(805) 543-4244, extension #3490**.
- Inspections will be completed on **Tuesday** for South County areas and **Thursday** for North County areas.
- Please have your County issued permit card on site and visible.
- Visit our website at www.calfireslo.org for more information.

This project is located approximately **5** minutes from the closest CAL FIRE/San Luis Obispo County Fire Station. The project is located in State Responsibility Area for wildland fires, and is designated as a **Very High** Fire Hazard Severity Zone. This project is required to comply with all fire safety rules and regulations including the California Fire Code, the Public Resources Code and any standards referenced therein.

The following CHECKED standards are required:	
<input checked="" type="checkbox"/>	SETBACK 30-foot building setback from property line required for parcels 1 acre in size or larger **Note: All setbacks are subject to S.L.O County Planning Department approval.
<input checked="" type="checkbox"/>	FIRE SPRINKLERS A fire sprinkler system is required for this project per local Fire Code.
<input checked="" type="checkbox"/>	Fire alarm bell must be installed and working at final inspection (If required by NFPA 13D).
<input checked="" type="checkbox"/>	Mount spare heads & wrench box in garage or near riser. (1 of each type)
<input checked="" type="checkbox"/>	TANK A water storage tank is required that gravity feeds a residential fire connection
<input checked="" type="checkbox"/>	5000 gallons of minimum water storage is required for fire protection
<input checked="" type="checkbox"/>	Note: 2500 Gallon minimum. Structures within 50 feet of project are calculated as part of the tank capacity requirement. C-16 or FPE will calculate capacity of tank if project is sprinklered.
<input checked="" type="checkbox"/>	Tanks must be steel or concrete in High and Very High Fire Hazard Severity zones
<input checked="" type="checkbox"/>	Automatic Fill, Sight Gauge & Venting System required
<input checked="" type="checkbox"/>	Minimum 4-inch plumbing: Schedule 40 PVC or Iron Pipe
<input checked="" type="checkbox"/>	System must gravity drain to the Fire Department Connection
<input checked="" type="checkbox"/>	Fire connection shall be located on the approach to the structure(s)
<input checked="" type="checkbox"/>	Fire connection must be located not less than 50 feet & no more than 150 feet from the structure
<input checked="" type="checkbox"/>	Fire connection must be located 10-12 feet from the edge of the driveway/road & 24-36" above finished grade
<input checked="" type="checkbox"/>	Fire connection outlet valve must be a 2-1/2" brass National Standard male thread with brass or plastic cap. The outlet must face toward the driveway at a 90° angle.
<input checked="" type="checkbox"/>	If fire connection has less than 20 psi, then the word "DRAFT" will be clearly and permanently marked on the fire connection
<input checked="" type="checkbox"/>	Must maintain a 3 foot clear space around the circumference of the connection at all times
<input checked="" type="checkbox"/>	Blue dot reflector must be located near fire connection, visible to approaching vehicles
<input type="checkbox"/>	HYDRANT A fire hydrant is required that can deliver 750 gallons per minute for 2 hours.
<input type="checkbox"/>	****Must submit a completed Community Water System Verification Form
<input type="checkbox"/>	Must have two 2 1/2" outlets and one 4" outlet with National Standard threads
<input type="checkbox"/>	Must be located within 8 feet of the roadway
<input type="checkbox"/>	Place a blue dot road reflector on roadway, just off center, on the side of the hydrant
<input type="checkbox"/>	Hydrant must be located within 250 feet of the residence.
<input type="checkbox"/>	Must maintain a 3 foot clear space around the hydrant at all times

<input type="checkbox"/>	ACCESS ROAD A 20-foot wide access road is required
<input type="checkbox"/>	All weather surface capable of supporting 20 tons
<input type="checkbox"/>	10 feet of fuel modification is required on both sides of road
<input type="checkbox"/>	Must provide an unobstructed vertical clearance of not less than 13'6"
<input type="checkbox"/>	Where road exceeds a 12% grade, it must be a nonskid surface
<input type="checkbox"/>	If road exceeds a 16% grade, it must be certified by an engineer
<input type="checkbox"/>	Road must be named & posted using the County standard signage
<input checked="" type="checkbox"/>	DRIVEWAY must be 16 feet wide
<input checked="" type="checkbox"/>	All weather surface capable of supporting 20 tons
<input checked="" type="checkbox"/>	Where driveway exceeds a 12% grade, it must be a paved nonskid surface
<input checked="" type="checkbox"/>	If driveway exceeds a 16% grade, it must be certified by an engineer
<input checked="" type="checkbox"/>	10 feet of fuel modification is required on both sides of the driveway
<input checked="" type="checkbox"/>	Must provide an unobstructed vertical clearance of not less than 13'6"
<input checked="" type="checkbox"/>	Driveways exceeding 300 feet require a fire engine turnaround within 50 feet of residence/structure
<input checked="" type="checkbox"/>	Driveways exceeding 800 feet require a turnout(s) at midpoint and no more than 400 feet apart (Exception: 16' wide driveways)
<input type="checkbox"/>	BRIDGE is required to support a fire engine load weight of 20 tons
<input type="checkbox"/>	Bridge must have a sign indicating load & vertical clearance limits at entrances
<input type="checkbox"/>	One-lane bridge: minimum 10', turnouts at both ends, one-way signs, clear visibility
<input checked="" type="checkbox"/>	GATE entrance shall be 2 feet wider than width of traffic lane & located 30 feet from roadway.
<input checked="" type="checkbox"/>	Center line of lane turning radius must be at least 25 feet
<input checked="" type="checkbox"/>	Electric gates shall be maintained <u>operational at all times</u> and shall provide Fire Department emergency access via a "Knox" switch. A Knox application must be requested from the Prevention Bureau. Manual gates may be secured by a padlock.
<input checked="" type="checkbox"/>	Must be setback a minimum of 30 feet from the SLO County maintained road
<input checked="" type="checkbox"/>	100' FLAMMABLE VEGETATION MANAGEMENT around structures required.
<input checked="" type="checkbox"/>	Maintain a fire clearance of 30 feet around all buildings & structures
<input checked="" type="checkbox"/>	Within the area of 30'-100' from structures, additional fire reduction measures shall be required.
<input checked="" type="checkbox"/>	Remove limbs located within 10 feet of chimney & trim dead/dying limbs that overhang the roof. Leaves, needles, or dead growth shall be removed from the roof
<input checked="" type="checkbox"/>	LPG TANKS Minimum separation from buildings & property lines for LPG above ground tanks is: 10 feet for 125-500 gallon container; 25 feet for 501-2,000 gallon container
<input checked="" type="checkbox"/>	Maintain a minimum vegetation clearance of 10 feet around LPG tanks or containers
<input checked="" type="checkbox"/>	IGNITION RESISTANT CONSTRUCTION REQUIREMENTS This project must meet all requirements of Chapter 7A of the 2013 California Building Code for Fire-Resistance-Rated Construction. Please contact the San Luis Obispo County Department of Planning & Building for more information at (805) 781-5600.
<input checked="" type="checkbox"/>	A Class A non-combustible roof is required that meets all requirements of Chapter 7A of the 2013 California Building Code.
<input checked="" type="checkbox"/>	ADDRESS Each residence requires separate address numbers, assigned by the San Luis Obispo County Department of Planning and Building. Please contact (805) 781-5157 for more information.
<input type="checkbox"/>	Highly visible with contrasting background permanent address numbers shall be placed at the driveway entrance and directional signs at each T or Y intersection (minimum 6" letter/number height, 1/2 inch stroke). Reflective numbers are highly recommended!
<input checked="" type="checkbox"/>	Highly visible address numbers shall be placed on the residence(s). (Minimum 6" letter/number height with 1/2 inch stroke).
<input checked="" type="checkbox"/>	SMOKE & CARBON MONOXIDE DETECTOR Smoke detectors are required in all sleeping areas and in hallways leading to sleeping areas.
Comments: The existing address numbering, driveway, water storage tank, residential fire connection and defensible space must meet all relative minimum standards.	

Please note: Any changes made to this project shall cancel the Fire Safety Plan and require new plans to be submitted to CAL FIRE for review and the issuance of a new fire plan. If this project is not completed within the time allotted by the Building Permit; it will be required to meet all applicable fire codes in effect at the time a new permit is issued and before final inspection of the structure. Any future change of occupancy will also require compliance with all codes in effect at that time.

Inspector

Travis Craig

Fire Captain